Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Li	1645	(magnetoresistive or magneto\$3resistive or (magneto adj3 resistive)) and (CPP or (current near4 perpendicular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 08:54
L2	137	(magnetoresistive or magneto\$3resistive or (magneto adj3 resistive)) same (first adj3 conductor\$2) same (second adj3 conductor\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 08:54
L3	1287	(free near3 ferromagnetic) and (nonmagnetic or non\$2magnetic) and ((pinned or pin\$3) near3 ferromagnetic) and (antiferromagnetic or anti\$3ferromagnetic or (anti adj3 ferromagnetic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖFF	2005/08/21 08:54
L4	634828	(thickness or width or length) same (free or pinned)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 08:54
L5	1	I1 and I2 and I3 and I4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 08:53
L6	640	(magnetoresistive or magneto\$3resistive or (magneto adj3 resistive)) and (CPP or (current near4 perpendicular))	US-PGPUB	OR	OFF	2005/08/21 08:57
L7	30	(magnetoresistive or magneto\$3resistive or (magneto adj3 resistive)) same (first adj3 conductor\$2) same (second adj3 conductor\$2)	US-PGPUB	OR	OFF	2005/08/21 08:54
L8	587	(free near3 ferromagnetic) and (nonmagnetic or non\$2magnetic) and ((pinned or pin\$3) near3 ferromagnetic) and (antiferromagnetic or anti\$3ferromagnetic or (anti adj3 ferromagnetic))	US-PGPUB	OR	OFF	2005/08/21 08:54
L9	44260	(thickness or width or length) same (free or pinned)	US-PGPUB	OR	OFF	2005/08/21 08:54

L10	0	(16-19).CLM.	US-PGPUB	OR	OFF	2005/08/21 08:56
L11	1	16 and 17 and 18 and 19	US-PGPUB	OR	OFF	2005/08/21 08:56
L12	0	((magnetoresistive or magneto\$3resistive or (magneto adj3 resistive)) and (CPP or (current near4 perpendicular)) and conductor\$2 and free and pinned and antiferromagnetic and ((thickness or height or width) same (pinned or free))).CLM.	US-PGPUB	OR	OFF	2005/08/21 09:00
L13	1	"09/820,047"	US-PGPUB	OR	OFF	2005/08/21 08:59
L14	1	((magnetoresistive or magneto\$3resistive or (magneto adj3 resistive)) and (CPP or (current near4 perpendicular)) and conductor\$2 and free and pinned and antiferromagnetic).CLM.	US-PGPUB	OR	OFF	2005/08/21 09:00

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Li .	0	360/342.11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 09:03
L2	426	360/324.11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 09:03

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	0	360/342:11:ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 09:03
L2	426	360/324.11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 09:11
L3	546	360/324.12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 09:11
L4	359	360/324.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 09:11
L5	199	360/324.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 09:11
L6	407	360/324.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 09:11
L7	1346	13 or 14 or 15 or 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 09:11
L8	1204	I7 not I2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/21 09:12